



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D3914-041
Job Sheet 199714



Part No: D3914-041

Job Qty: 1 pcs

Part Name: Long Basket Lid Assembly (350)



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 8/29/19

Job Tracking No:

Due Date: 10/24/19

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: DWG D4020 REV A SHEET 2, D3914 REV D SHEETS 1,2,3 IPP Rev:A new issue DD 10.03.19 verified by:EC
IPP Rev:B as per dwg revB DD 10.08.18 verified by:EC IPP Rev:C 13.03.14 AS PER DWG REV.pc1 DD
VERF:JLM IPP REV:D 13.06.21 DWG REV.C DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Large Fab - Basket - 1	1 pcs	10/24/19		0.00	10.00	Large Fab - 1		
							Large Fab - 10		
							Large Fab - 2		
							Large Fab - 3		
							Large Fab - 4		
							Large Fab - 5		
							Large Fab - 6		
							Large Fab - 7		
							Large Fab - 8		
							Large Fab - 9		
							Large Fab - 11 (Various)		
110	QC 9	1 pcs	10/24/19		0.00	0.00	QC 9 - 10		
							QC 9 - 18		
							QC 9 - 24		
							QC 9 - 43		
							QC 9 - 50		
							QC 9 - 9		
120	QC 5	1 pcs	10/24/19		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL : 1 813 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S223061



Part: D3914-041

Job No: 199714

Serial No/Batch: S223061

Revision: A/D

Inspector:

Exp Date:

Instructions: Various STC's

Date: 10/18/19

Plex 8/29/19 12:53 PM Dart.lajeunesse.marie

130 Powdercoat - 4 Black Sand -
B4B1
pcs

10/24/19

0.00 0.40

135 QC 3

1
pcs

10/24/19

0.00 0.00

START: 10:35 A.T. 32°F FINISH: 11:05.

QC 5 - 68
QC 5 - 9
QC 5 - 50
QC 5 - 30
QC 5 - 40
QC 5 - 61
QC 5 - 81Powdercoat - 1 - B4B
Powdercoat - 2 - B4B
Powdercoat - 3 - B4B
Powdercoat - 4 - B4B

BL 19-10-17.

QC 3 - 10
QC 3 - 13
QC 3 - 15
QC 3 - 17
QC 3 - 18
QC 3 - 2
QC 3 - 28
QC 3 - 3
QC 3 - 30
QC 3 - 34
QC 3 - 36
QC 3 - 41
QC 3 - 51
QC 3 - 58
QC 3 - 59
QC 3 - 68
QC 3 - 9
QC 3 - 40
QC 3 - 19
QC 3 - 43
QC 3 - 24
QC 3 - 61
QC 3 - 81

MR 19-10-17

DAS
15
9-89140 Handfinish - 3-1- WingWalk-
B4B1
pcs

10/24/19

0.00 0.80

Handfinish - 3 - 1 -
B4B
Handfinish - 3 - 2 -
B4B
Handfinish - 3 - 3 -
B4B
Handfinish - 3 - 4 -
B4B
Handfinish - 3 - 5 -
B4B

MR 19-10-17

150 QC 3

1
pcs

10/24/19

0.00 0.00

QC 3 - 10
QC 3 - 13
QC 3 - 15
QC 3 - 17
QC 3 - 18
QC 3 - 2
QC 3 - 28
QC 3 - 3
QC 3 - 30
QC 3 - 34
QC 3 - 36
QC 3 - 41
QC 3 - 51
QC 3 - 58
QC 3 - 59
QC 3 - 68

BEB 19-10-17.

DAS
59
9-89

160 Packaging 3-1 - Stock - B4B

1
pcs

10/24/19

0.00 0.00

QC 3 - 9

QC 3 - 40

QC 3 - 19

QC 3 - 43

QC 3 - 24

QC 3 - 61

QC 3 - 81

Packaging 3 - 1 - B4B

Packaging 3 - 2 - B4B

Packaging 3 - 3 - B4B

Packaging 3 - 4 - B4B

Packaging 3 - 5 - B4B

Packaging 3 - 6 - B4B

Packaging 3 - 7 - B4B

Packaging 3 - 8 - B4B

Packaging 3 - 9 - B4B

Packaging 3 - 10 -
B4BPackaging 3 - 11 -
B4BPackaging 3 - 12 -
B4BPackaging 3 - 13 -
B4BPackaging 3 - 14 -
B4BPackaging 3 - 15 -
B4BPackaging 3 - 16 -
B4BPackaging 3 - 17 -
B4BPackaging 3 - 18 -
B4BPackaging 3 - 19 -
B4BPackaging 3 - 20 -
B4BPackaging 3 - 21 -
B4BPackaging 3 - 22 -
B4BPackaging 3 - 23 -
B4BPackaging 3 - 24 -
B4BPackaging 3 - 25 -
B4BPackaging 3 - 26 -
B4BPackaging 3 - 27 -
B4BPackaging 3 - 28 -
B4BPackaging 3 - 29 -
B4BPackaging 3 - 30 -
B4BPackaging 3 - 31 -
B4BPackaging 3 - 32 -
B4B

Packaging 3 - 33 -

14-10-17

					B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
170 QC 21 - SA	1	10/24/19	0.00	0.00	QC 21 - SA - 21	21
	pcs				QC 21 - SA - 70	21
					QC 21 - SA - 53	53

OCT 18 2019

Part Op 100 - (Weld per dwg A/R S.S. rod Batch: _____ - 1- assemble ribs , weld as per dwg D3914 using DT9607A 2- weld hinge (3) and Mounting brackets as per dwg D3914 ***Visual inspect before welding mesh*** 3- tack weld mesh on basket as per dwg D3914 ***Cut out mesh where label plate goes in center off basket lid as per dwg D4020-5. Make sure to place mesh correctly on lid, check with label plate before tacking mesh***

110 - QC9- Inspect visual per QSI004- Fusion Welds

120 - QC5- Inspect part completeness to step on W/O

130 - Black Sandtex(Ref:4.3.5.7) per QSI005 4.3 *** mask sides of hinge prior to powdercoat***

135 - QC3- Inspect Part Finish

140 - Wing Walk as per dwg QSI005 4.4 Batch _____ 1- Mask data plate and apply wing walk on outside surface of mesh as per dwg 2- Install label as per dwg ***Mask label plate to size of label, use scotchbrite red pad to lightly sand area for label, apply label ***

150 - QC3- Inspect Part Finish

160 - Identify as per dwg & Stock Location: _____

170 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D2581	Mounting Bracket	2 pcs (2 ea)	100-Large Fab - Basket - 1	5211340
D3914-1	Rib	2 pcs (2 ea)	100-Large Fab - Basket - 1	5219773
D3914-7	Rib	2 pcs (2 ea)	100-Large Fab - Basket - 1	5214596
D4016-3	Hinge Half, Lid	3 pcs (3 ea)	100-Large Fab - Basket - 1	5793147
D4018-5	Rib	9 pcs (9 ea)	100-Large Fab - Basket - 1	5219055
D4020-5	Mesh (350 Basket Long, Lid)	1 pcs (1 ea)	100-Large Fab - Basket - 1	5219017
D4021-3	Data Plate	1 pcs (1 ea)	100-Large Fab - Basket - 1	5182501
D4035-043	Lid Rib Assembly, Aft (350 Basket)	2 pcs (2 ea)	100-Large Fab - Basket - 1	5211310

Master Unit: 012362

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Large Fab - Basket - 1	D2581	2	41	0
	D3914-1	2	8	0
	D3914-7	2	10	0
	D4016-3	3	65	0
	D4018-5	9	11	0
	D4020-5	1	9	0
	D4021-3	1	25	0
	D4035-043	2	6	0

Part Specifications

Specifications could not be found.

Plex 8/29/19 12:53 PM Dart.lajeunesse.marie

Entered: _____

Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ ☐ ☐ Scrap ☐ ☐ ☐ Use-as-is ☐ ☐ ☐		DEPARTMENT/PROCESS Skid-tube ☐ ☐ ☐ ☐ ☐ Machining ☐ ☐ ☐ ☐ ☐ Large Fab ☐ ☐ ☐ ☐ ☐		Cross tube ☐ ☐ ☐ ☐ ☐ Small Fab ☐ ☐ ☐ ☐ ☐ Finishing ☐ ☐ ☐ ☐ ☐		Eng. (Non-AW) ☐ ☐ ☐ ☐ ☐ Prod. Eng. Coord. ☐ ☐ ☐ ☐ ☐ Rec/Store/Packaging ☐ ☐ ☐ ☐ ☐		Engineering ☐ ☐ ☐ ☐ ☐ Water Jet ☐ ☐ ☐ ☐ ☐ Supplier ☐ ☐ ☐ ☐ ☐ Quality ☐ ☐ ☐ ☐ ☐		MRB (QS1042) ☐ ☐ ☐ ☐ ☐																																																																															
Date : _____		Sequence #: _____		QTY Affected : _____		Disposition		Completed By		Lead hand / Supervisor		QC / QA Coordinator																																																																															
Description Work Order Deviation																																																																																											
Root Cause																																																																																											
<table border="1"> <tr> <td>Operator</td> <td>☐</td> <td>Pressure/Forced</td> <td>☐</td> <td>Contamination</td> <td>☐</td> <td>Power Loss/Surge</td> <td>☐</td> <td>Positioned Wrong</td> <td>☐</td> </tr> <tr> <td>Manufacturing Process</td> <td>☐</td> <td>Bending</td> <td>☐</td> <td>Misaligned/off center</td> <td>☐</td> <td>Folio/Program</td> <td>☐</td> <td>Outside Tolerance</td> <td>☐</td> </tr> <tr> <td>Equip/Tooling</td> <td>☐</td> <td>Crushing</td> <td>☐</td> <td>BOM/Route</td> <td>☐</td> <td>Grain Direction</td> <td>☐</td> <td>Drawing</td> <td>☐</td> </tr> <tr> <td>Handling/Preservation</td> <td>☐</td> <td>Cracks</td> <td>☐</td> <td>Broken/Damage/Defect</td> <td>☐</td> <td>Weld</td> <td>☐</td> <td>Finish</td> <td>☐</td> </tr> <tr> <td>Material</td> <td>☐</td> <td>Crimp/Kink/Ripple/Wave/Twist</td> <td>☐</td> <td>Incomplete/Unclear Instructions</td> <td>☐</td> <td>Wrong Stock Pulled</td> <td>☐</td> <td>Part Lost/Missing</td> <td>☐</td> </tr> <tr> <td>Product Improvement</td> <td>☐</td> <td>Marks/Chatter</td> <td>☐</td> <td>Drill Holes</td> <td>☐</td> <td>Out of Sequence</td> <td>☐</td> <td>Misread</td> <td>☐</td> </tr> <tr> <td>Process Improvement</td> <td>☐</td> <td>Mislabeled</td> <td>☐</td> <td>Fit/Function</td> <td>☐</td> <td>Off-set/Set-up</td> <td>☐</td> <td></td> <td>☐</td> </tr> <tr> <td>Human Factors</td> <td>☐</td> <td colspan="8">Other/Details:</td> </tr> </table>												Operator	☐	Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐	Manufacturing Process	☐	Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐	Equip/Tooling	☐	Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐	Handling/Preservation	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐	Material	☐	Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐	Product Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐	Process Improvement	☐	Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐		☐	Human Factors	☐	Other/Details:							
Operator	☐	Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐																																																																																		
Manufacturing Process	☐	Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐																																																																																		
Equip/Tooling	☐	Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐																																																																																		
Handling/Preservation	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐																																																																																		
Material	☐	Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐																																																																																		
Product Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐																																																																																		
Process Improvement	☐	Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐		☐																																																																																		
Human Factors	☐	Other/Details:																																																																																									